CAMREN™

PHOTOGRAPHIC RESOURCES, INC.

2011 RENTAL CATALOG

1340 W. BYERS PL.
DENVER, CO. 80223
(303) 698-1797
FAX (303) 698-1799
e-mail: info@camren.com
www.camren.com

Hours: Monday-Friday 8am-5:30pm

Effective 09/08/11

This page left blank intentionally.

TABLE OF CONTENTS

DIGITAL & 35MM SLR SYSTEMS
Nikon 4-5
Canon 5-6
35mm Point and Shoot 6
DIGITAL CAMERA DETAILS 7-8
DIGITAL ACCESSORIES 9
MEDIUM FORMAT
Hasselblad 10
Mamiya 645 10
Mamiya 7 Rangefinder 11
Mamiya RB/RZ67 11
Bronica 11
Pentax 6x7 11
LARGE FORMAT
4x5 Cameras 12
View Camera Lenses 12
ULTRA-WIDE PANORAMIC CAMERAS 13
POLAROID 13
UNDERWATER CAMERAS 13
STUDIO FLASH
Speedotron 14
Norman 14
Photogenic. 14
Profoto. 14
Broncolor 14
Balcar 14
PORTABLE FLASH
On-Camera Flash 15
Norman 15
Profoto. 15
Sunpak 15
Quantum 15
Flash Accessories 15
TUNGSTEN LIGHTING 16
METERS 16
CAMERA SYNCS/TRIPPERS 16
GRIP EQUIPMENT 17
CAMERA SUPPORT 17
SOFTBOXES UMBRELLAS 18
AUDIO/VISUAL EQUIPMENT 18-19
VIDEO EQUIPMENT 19-20
SPECIAL EQUIPMENT 20
DEALER LIST 21
FACILITIES RENTAL INFORMATION 22
BACKGROUNDS . . . . . See our web page at http://www.camren.com/camera/background.html

Rental rates shown are for a single 24 hour period. Weekly rates are four times the daily rate.

DIGITAL & 35MM

NIKON

DIGITAL BODIES (See chart on page 8 for camera details)

	Megapixels & Format	
D3	12mp FX	150.00
D700	12mp FX	150.00
D300	12mp DX	90.00
D90	12mp DX	75.00
D80	10mp DX	75.00
D70	6mp DX	75.00

FILM BODIES

F5	35.00
F100	25.00
N90S (w/MB 10 vertical grip.)	20.00
F3/FE2/FE/FM2	15.00
F2-AS	20.00

LENSES

Wide-angle Lenses

8mm F3.5 AF circular (Sigma)	drop-in-gel		25.00
10.5mm F2.8 IF ED AF G ED DX	drop-in gel		30.00
(For use w/Nikon F mount digital SLR's. Will vignette on film cameras.)			
14mm F2.8 AF rectilinear (Tamron)	drop-in gel		25.00
16mm F2.8 full frame fisheye	rear bayonet		20.00
16mm F2.8 AF full frame fisheye	rear bayonet		25.00
18mm F2.8 AF D	77mm		25.00
20mm F2.8 AF	62mm		12.00
24mm F2.8 AF	52mm		10.00
28mm F2.8 AF	52mm		10.00
28mm F3.5 perspective control	72mm		20.00
35mm F2.8 perspective control	52mm		20.00
35mm F2.0 AF D	52mm		15.00

Normal Lenses

50mm F1.4 and 1.4 AF	52mm		10.00

Telephoto Lenses

60mm F2.8 AF micro	62mm		20.00
85mm F1.4 AF D	77mm		25.00
85mm F1.8 AF	52mm		15.00
105mm F2.8 AF-S VR G micro	62mm		25.00
105mm F2.8 AF micro	62mm		20.00
180mm F2.8 AF ED IF	72mm		20.00
300mm F2.8 D ED IF AF-S	drop-in 52mm		50.00
(may not work with D80/70/70s)			
300mm F2.8 ED IF AF-D	drop-in 39mm		35.00
300mm F4 AF-S	77mm		20.00
400mm F2.8 D ED IF AF-S	drop-in 52mm		75.00
500mm F4.0 D ED IF AF-S	drop-in 52mm		60.00
500mm F8.0 mirror	rear 39mm		20.00
600mm F4.0 D ED IF AF-S	drop-in 52mm		100.00

Macro Lenses

60mm F2.8 AF micro	62mm		20.00
105mm F2.8 AF micro	52mm		20.00
105mm F2.8 AF-S VR G micro	62mm		25.00

Zoom Lenses

10-24mm F3.5-4.5 Di-II SP (Tamron)	77mm		25.00
(Use w/ APS-C camera sensors. Will vignette on full frame cameras).			
12-24mm F4.0 IF ED AF-S G DX	77mm		30.00
(Use w/ APS-C camera sensors. Will vignette on full frame cameras).			
17-55mm F2.8 IF ED AF-S G DX	77mm		30.00
(Use w/ APC-S camera sensors. Will vignette on full frame cameras).			
17-35mm F2.8 EDIF AF-S	77mm		25.00
18-270 F3.5-6.3 AF Di-II VC LD (Tamron)	77mm		20.00
(Use w/ APC-S camera sensors. Will vignette on full frame cameras).			
20-35mm F2.8 AF	77mm		20.00
24-70mm F2.8G ED AF-S	77mm		30.00
24-70mm F3.3/5.6 AF (Tamron)	62mm		10.00
24-85mm F2.8/4 AF D	72mm		20.00
24-120mm F3.5/5.6 AF-D	72mm		20.00
24-120mm F3.5/5.6 ED IF AF-S VR.	72mm		25.00
28-70mm F3.5/4.5 AF (Tamron)	52mm		10.00
28-70mm F2.8 D (Sigma)	77mm		20.00
28-75mm F2.8 AF LD (Tamron)	67mm		20.00
28-85mm F3.5/4.5 AF	62mm		15.00
28-105mm F2.8 AF LD (IF) (Tamron)	82mm		25.00
35-70mm F3.3/4.5 AF	52mm		10.00
35-70mm F2.8 AF	62mm		25.00
35-90mm F4/5.6 AF (Tamron)	55mm		10.00
35-105mm F3.5/4.5 macro	52mm		10.00
35-105mm F3.5/4.5 AF	52mm		10.00
70-200mm F2.8G ED IF AF-S VR	77mm		40.00
70-200mm F2.8G ED IF AF-S VRII	77mm		50.00
70-210mm F4.5/5.6 AF-D	62mm		15.00
70-210mm F4.5/5.6 AF (Tamron)	52mm		15.00
70-300mm F4/5.6 AF LD (Tamron)	58mm		15.00
70-300mm F4/5.6 AF Di LD (Tamron)	58mm		15.00
80-200mm F2.8 ED IF AF-S	77mm		30.00
80-200mm F2.8 ED IF AF-D	77mm		25.00
80-400mm F4.5-5.6D ED VR	77mm		35.00
200-400mm F5.6 AF LD (IF) (Tamron)	77mm		25.00

DX Digital Lenses

(For use primarily with digital SLR's with DX, or 24mm, sensor sized cameras. These lenses will vignette on 35mm SLR at the wider focal lengths.)

10-24mm F3.5-4.5 Di-II (DX) (Tamron)	77mm		25.00
(Will vignette from 10 to 14mm on full frame cameras).			
10.5mm F2.8 IF ED AF G DX	drop-in gel		30.00
(Will vignette on film cameras.)			
12-24mm F4.0 IF ED AF-S G DX	77mm		30.00
(Will vignette from 12 to 17mm on full frame cameras).			
17-55mm F2.8 E DIF AF-S G DX	77mm		30.00
(Will vignette from 17 to 28mm on full frame cameras).			
18-270 F3.5-6.3 AF Di-II VC LD (Tamron)	77mm		20.00

Motor Drives

MD-12 motor for FE/FM series 5.00
MD-4 motor for F3 ..... 10.00
MD-2 w/MBI motor for F2 ..... 10.00

Accessories

MC-1 remote release for F2's MD-2 ..... 2.00
MC-12A remote release 2.00
MC-25 (adaptor for remote accessories.) 1.00
MC-30 (10 pin cable release.) 3.00
MC-36 (10 pin timer remote control) 5.00
MB-10 ..... 5.00
Extension tubes: 11mm, 18mm, or 36mm 2.00
TC 14-E 10.00
TC 17-E II 10.00
TC 20-E 10.00
TC 20-E II 10.00
1.4X AF teleconverter (Tamron) 8.00
(Will not auto-focus w/AF-S lenses.)
2X AF teleconverter (Tamron) 8.00
(Will not auto-focus w/AF-S lenses.)
Bellows. 10.00
MF-4 250 exposure back for F3 ..... 20.00
NPC Polaroid back for F3/FE/FE2/FM/FM2/N90 ..... 15.00
(P-back is ½ price w/rental of compatible body.)
Infrared ML-2 remote control 20.00
(For use with Nikon cameras with motor drives,
3 channel, 300 foot range.)
Nikon ML-L3 wireless remote 3.00

Flashes

Nikon SB80DX(w/diffusion dome covers 14mm.) 20.00
(D-TTL capacity w/ Nikon digital cameras.)
Nikon SB800 (w/diffusion dome covers 14mm.) 20.00
(iTTL & D-TTL capacity w/ Nikon digital cameras.)
Nikon SB900 (w/diffusion dome covers 14mm.) 20.00
(iTTL & D-TTL capacity w/ Nikon digital cameras.)
Nikon SD-800 5th Battery for SB-800 ..... 1.00
(No charge with SB-800 rental)
Nikon Speed-light Accessory plate (AS-19) 1.00
(No charge with SB-800 rental)
Nikon SC-17 off camera cord 3.00
Nikon SC-18 connecting cord 3.00
Nikon SC-28 off camera cord 3.00
Nikon SC-29 off camera cord 3.00
Nikon AS-10 ..... 3.00
(Connects 3 TTL flashes together.)

CANON EOS

DIGITAL BODIES (See chart on page 7 for camera details)

	Megapixels	
EOS 1Ds Mk III	21mp*	200.00
EOS 1Ds Mk II	16mp*	175.00
EOS 5D Mk II	21mp*	125.00
EOS 7D	18mp	100.00
EOS 60D	18mp	90.00
EOS 50D	15mp	90.00
EOS 40D	10mp	90.00
EOS Rebel T2i	18mp	75.00
EOS Rebel XT	8mp	75.00

(* denotes a full frame sensor)

FILM BODIES

EOS3 ..... 25.00
EOS-1/1N 30.00
A2/A2E (w/VG10 grip) 20.00
Elan/Elan IIE 15.00

LENSES

Wide-Angle Lenses			
8mm F3.5 circular (Sigma)	drop-in-gel	...	25.00
14mm F2.8 rectilinear (Tamron)	drop-in-gel	...	25.00
17mm F4L tilt/shift (manual focus)	none	.....	30.00
15mm F2.8 full frame fisheye	drop-in-gel	...	20.00
20mm F2.8 USM	72mm	.....	10.00
24mm F2.8	58mm	.....	10.00
24mm f1.4L USM	77mm	.....	35.00
24mm F3.5L tilt/shift (manual focus)	72mm	.....	20.00
28mm F2.8	52mm	.....	10.00
28mm F1.8 USM	58mm	.....	15.00
35mm F2.0	52mm	.....	15.00
Normal Lenses			
50mm F1.2L USM	72mm	.....	30.00
50mm F1.4 USM	58mm	.....	10.00
50mm F1.8	52mm	.....	5.00
Telephoto Lenses			
85mm F1.8 USM	58mm	.....	15.00
85mm F1.2L USM	72mm	.....	40.00
90mm F2.8 tilt/shift (manual focus)	58mm	.....	20.00
200mm F2.8L II USM	72mm	.....	20.00
300mm F2.8 LD (IF) (Tamron)	drop-in 43mm	.	35.00
300mm F2.8L IS USM	drop-in 48mm	.	50.00
300mm F4 L USM	77mm	.....	20.00
400mm F2.8L USM	drop-in 48mm		75.00
400mm F5.6L USM	77mm	.....	30.00
500mm F4.5L USM	drop-in 48mm	.	60.00
600mm F4L USM	drop-in gel	..	100.00
Macro Lenses			
50mm F2.5 macro	52mm	.....	15.00
65mm F2.8 macro (manual focus) (Allows 1x to 5x magnification.)	58mm	.....	25.00
100mm F2.8 USM macro	58mm	.....	20.00

CANON EOS (lenses continued)

Zoom Lenses

8-15mm F4L USM fisheye . . . . . none 30.00
10-22mm F3.5-4.5 USM EF-S . . . . . 77mm 25.00
(Use w/ APS-C camera sensors. Will not mount on full frame cameras).
11-18mm F4.5-5.6 Di II LD (Tamron) 77mm 20.00
(For use with APS-C camera sensors. This lens will vignette on 35mm SLRs at the wider focal lengths.)
16-35mm F2.8L USM . . . . . 77mm 25.00
16-35mm F2.8L USM II . . . . . 82mm 25.00
17-35mm F2.8L USM . . . . . 77mm 25.00
17-50mm F2.8 DI LD (IF) (Tamron) . . . 77mm 25.00
17-55mm F2.8 IS USM EF-S . . . . . 77mm 25.00
(Use w/ APS-C camera sensors. Will not mount on full frame cameras).
19-35mmF3.5/4.5 (Tamron) . . . . . 77mm 15.00
20-35mm F3.5/4.5 USM . . . . . 77mm 10.00
24-70mm F2.8L USM . . . . . 77mm 25.00
24-105mm F4L IS USM . . . . . 77mm 25.00
28-75mm F2.8 LD (Tamron) . . . . . 67mm 20.00
28-80mm F3.5/5.6III USM . . . . . 58mm 10.00
28-105mm F2.8 LD (IF) (Tamron) . . . . . 82mm 25.00
28-105mm F3.5/4.5 USM . . . . . 58mm 10.00
28-135mm F3.5/5.6 IS USM . . . . . 72mm 15.00
28-200mm F3.8/5.6 (Tamron) . . . . . 72mm 15.00
28-300mmF3.5/6.3 LD (IF) (Tamron) . . . 72mm 20.00
35-350mm F3.5/5.6L USM . . . . . 72mm 25.00
55-200mm F4.5/5.6II USM . . . . . 52mm 15.00
70-200mm F2.8L USM . . . . . 77mm. 35.00
70-200mm F2.8L IS USM . . . . . 77mm 40.00
70-200mm F2.8L IS II USM . . . . . 77mm 50.00
70-300mm F4/5.6 IS USM . . . . . 58mm 20.00
70-300mm F4/5.6 Di LD (Tamron) . . . . 58mm 15.00
75-300mm F4/5.6 II USM . . . . . 58mm 15.00
100-400mm F4.5/5.6L IS USM . . . . . .77mm 35.00
120-300mm F2.8 APO DG EX HSM (Sigma).82mm 40.00
200-400mm F5.6 LD (IF) (Tamron) . . . . 77mm 25.00

Tilt/Shift Lenses

17mm F4L tilt/shift (manual focus) . . . . . none 30.00
24mm F3.5L tilt/shift (manual focus) . . . . . 72mm 25.00
90mm F2.8 tilt/shift (manual focus) . . . . . 58mm 25.00

Accessories

NPC Polaroid back for EOS1/IN 15.00
(P-back is ½ price w/rental of compatible body.)
1.4X AF extender 8.00
(Tamron, will work w/EOS 500mm F4.5.
Will auto-focus w/ lenses F4.5 or faster.)
Extender EF 1.4x 10.00
Extender EF 2x 10.00
(Will not work w/Tamron-EOS 300mm.)
Extender EF 1.4x Series II 10.00
Extender EF 2x Series II 10.00
1:1 Life size converter EF w/50mm macro 2.00
Power drive booster E1 for EOS1/IN (5.5 fps) 10.00
(E1 is ½ price w/rental of EOS1/IN.)
Drop in polarizer for 300mm F2.8, 400mm F2.8,
500mm F4.5 or 600mm F4 . . . . . .5.00
Canon Timer Remote Controller TC-80N3 . . . . . 5.00
RS-60E3 Remote Switch 5.00
For EOS 60D and all Rebel series DSLRs
EOS-1N command back E1 . . . . . 10.00
(Data Imprinting function: Date, time, 6 digit code or 4 digit code combined with the letters A-F, 4 digit frame counter. Date is imprinted in the lower right-hand corner of the frame and may be used with or without timer functions.
Timer Function: self-timer, interval timer, long release timer, framer counter to control the number of exposures per sequence. Timer functions can be set in one second increments for up to 23 hours, 59 minutes, 59 seconds.)
AC adapter AC-E6 for 7D and 5DII only 5.00

Flashes

EOS 580 EX (w/diffuser covers 18mm) 20.00
(E-TTL II capacity with select EOS digital cameras)
EOS 580 EX II (w/diffuser covers 18mm) 20.00
(E-TTL II capacity with EOS digital cameras)
Canon off-camera shoe cord 5.00
EOS Speed-light Accessory plate 1.00
(No charge with Speed-light rental)

35MM POINT & SHOOT

Canon Sure Shot A1 underwater panoramic 10.00

CANON DIGITAL SLR CAMERAS

C	EOS Rebel T2i	EOS 60D	EOS 50D	EOS 7D	EOS 5D Mark II	EOS 1Ds Mark II	EOS 1Ds Mark III
Maximum Pixels	5184 x3456	5184x3456	4752 x 3168	5,184 x 3,456	5616 x 3744	4992 x 3328	5616 x 3744
Megapixels	18.0	18.0	15.1	18.0	21.1	16.7	21.2
File format	JPEG or RAW	JPEG or RAW	JPEG, RAW, or sRAW	JPEG , RAW or sRAW	JPEG , sRAW or RAW	JPEG or RAW	JPEG , sRAW or RAW
Max file size JPEG/RAW	17.9mb/ 26.9mb	17.9 mb/26.9mb	5.0mb / 20.2mb	17.9mb/ 26.9mb	6.5mb / 15mb	14.6 .mb / 48 mb	6.5mb / 14mb
Power Source	Lithium ion battery, AC	Lithion ion battery, AC	Lithium ion battery, AC	Lithium ion battery, AC	Lithium ion battery, AC	Ni-MH battery, AC	Lithium ion battery, AC
ISO Rating	100-6400 (expand to12800)	100-6400 (expands to 12800)	100-3200 (expand to 12800)	100-6400 (expand to12800)	100-6400 (expand to 50-25600)	100-1600 (expand to 50-3200)	100-1600 (expand to 50-3200)
Built-in output	USB 2.0	USB 2.0/HDMI mini	USB 2.0	USB 2.0/ HDMI mini	USB 2.0/ HDMI mini	Firewire/USB	USB 2.0
Storage Media	SD	SD	CF I & II, microdrive	CF I & II, microdrive	CF I & II, microdrive	CF I & II, microdrive & SD	CF I & II, microdrive & SD
External flash sync	Hot shoe	Hot Shoe	Hot shoe, PC connection	Hot shoe, PC connection	Hot shoe, PC connection	Hot shoe, PC connection	Hot shoe, PC connection
Exposure controls	Auto, P, AV, TV, M	Auto, P, AV, TV, M, C	Auto, P, AV, TV, M	Auto, P, AV, TV, M	Auto, P, AV, TV, M	Auto, P, AV, TV, M	Auto, P, AV, TV, M
Capture Rate JPEG /RAW/JPEG & RAW	3.7 FPS 34 images/ 6 images	5.3 FPS 58 images/ 16 images/7 images	6 FPS 90 images / 16 images	8 FPS 126 images/ 15 images	4 FPS 78 images / 8 images	4 FPS 32 images / 11 images	5 FPS 56 images / 12 images
Lens Type	EF/ EF-S	EF/EF-S	EF/ EF-S	EF/ EF-S	EF	EF	EF
Memory	2 GB SD	4 GB SD	1 GB CF	4 GB CF	4 GB CF	4 GB CF	4 GB CF
Shutter speed range	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb
Focal Factor	1.6x	1.6x	1.6x	1.6x	none	none	none
Maximum Video Resolution	1080p(1920x1080) at 24, 25 or 30 FPS, 720p(1280x720) at 50 or 60 FPS	1080p(1920x1080) at 24, 25 or 30 FPS, 720p (1280x720) at 50 or 60 FPS	none	1080p (1920x1080) at 24, 25 or 30 FPS, 720p (1280x720) at 50 or 60 FPS	1080p (1920x1080) at 24 FPS	none	none
Daily Rate	$75	$90	$90	$100	$125	$175	$200

N	Nikon D3	Nikon D700	Nikon D300	Nikon D90	Nikon D80	Nikon D70
Maximum Pixels	4256x2832	4256x2832	4288x2848	4288x2848	3892 x 2604	3008x2000
Megapixels	12	12	12.3	12.3	10.2	6.1
File format	JPEG, RGB-TIFF or 14 bit NEF	JPEG, RGB-TIFF or 14 bit NEF	JPEG, RGB-TIFF or 14 bit NEF	JPEG RGB or 12 bit NEF	JPEG or 12 bit NEF	JPEG, RGB-TIFF or 12 bit NEF
Max File Size JPEG/RAW	4mb/24.7mb 35.9 mb TIFF	4mb/24.7 mb 35.9 mb TIFF	3mb/25.3 mb 35.9 mb TIFF	6.0mb/ 10.8mb	2.3 mb/ 28.7 mb	1.6mb/ 17.3 mb
Power Source	Lithium ion battery, AC	Lithium ion battery, AC	Lithium ion battery, AC	Lithium ion battery, AC	Lithium ion battery, AC	Lithium ion battery, AC
ISO Rating	200-6400 (expand to 100-25600)	200-6400 (expand to 100-25600)	200-3200 (expand to 100-6400)	200-3200 (expand to 100-6400)	100-1600 (expand to 3200)	200-1600
Built-in output	USB II	USB II	USB II	USB II	USB II	USB II
Storage Media	CF I & II, microdrive	CF I & II, microdrive	CF I & II, microdrive	SD Memory	SD Memory	CF I & II, microdrive
External flash sync	Hot shoe, PC connection	Hot shoe, PC connection	Hot shoe, PC connection	Hot shoe	Hot shoe	Hot shoe
Exposure controls	Auto, P, S, A, M	Auto, P, S, A, M	Auto, P, S, A, M	Auto, Auto-No Flash P, S, A, M, Scene	Auto, P, S, A, M	Auto, P, S, A, M
Capture Rate JPEG /RAW	9-11 FPS DX mode 130 images, FX mode 52 images/ 20 images (14bit RAW)	4-5 FPS DX mode 130 images, FX mode 52 images/ 20 images (14bit RAW)	6FPS 100 images/ 19 images	4.5 FPS 54 images/ 9 images	3 FPS 100 images/ 6 images	3 FPS 144 images/ 8 images
Lens Type	Nikon F Mount	Nikon F Mount	Nikon F Mount	Nikon F Mount	Nikon F Mount	Nikon F Mount
Memory	4 GB CF card	4 GB CF card	1 GB CF card	1 GB SD card	1 GB SD card	1 GB CF card
Shutter speed range	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/8,000 sec, bulb	30-1/4,000 sec, bulb	30-1/8,000 sec, bulb
Focal Factor	None in FX mode, 1.5x in DX mode	None in FX mode, 1.5x in DX mode	1.5x	1.5x	1.5x	1.5x
Maximum Video Resolution	none	none	none	720p (1280x720) at 24 FPS	none	none
Daily Rate	**$150**	**$150**	**$90**	**$75**	**$75**	**$75**

*** Burst rate varies with different card writing speeds**

DIGITAL ACCESSORIES

32 Gigabyte CF 25.00
16 Gigabyte CF 20.00
8 Gigabyte CF 15.00
4 Gigabyte CF 10.00
2 Gigabyte CF 5.00
1 Gigabyte CF 5.00
16 Gigabyte SD.. ..... .20.00
8 Gigabyte SD 15.00
4 Gigabyte SD 10.00
2 Gigabyte SD 5.00
1 Gigabyte SD 5.00
SD to CF Adapter 2.00
(Free w/ SD card rental)
512 MB CF type 1 ....5.00
256 MB CF type 1 ....5.00
Epson P2000 40GB(portable storage device) 25.00
Mindstor 20 GB (portable storage device) 30.00
Delkin eFilm Picture Pad 30 GB (portable storage device).....30.00

Adapters/Readers

Lexar Firewire reader 8.00
(Mac or PC. For fastest download time through 6P Firewire port.)
USB reader 5.00
(Mac or PC. For fastest download time through USB port.)
Parallel reader 5.00
(Used for downloading of images through parallel port.)
PCMCIA/SCSI (50 pin) 10.00
Delkin DVD Burn Away 10.00
(Portable DVD±RW/CD-RW burner & card reader.)
7 Port USB hub 5.00
4 Port Firewire Hub 5.00
PCMCIA Card Adapter 1.00
PCMCIA ExpressCard Adapter 2.00
EOS 1D USB Cable protector set 1.00

Batteries

Nikon EnE4 (D1 series) battery.... ..... 5.00
Nikon EnEl4 (D2 series) battery 5.00
Nikon EnEl3 (D100/D70) battery 3.00
Nikon EnEl3e (D700/D200/D300/D80) battery 3.00
Nikon AC Adapter EH-4 ..... 5.00
Canon BP511 (20D/30D/40D/50D/5D) battery 3.00
Canon LpE4 (EOS 1D/1Ds) battery 5.00
Canon LpE6 (EOS 5D Mark II/ 7D) battery 5.00
Extra batteries for Sony FD7 ..... 3.00
Quantum Turbo 15.00
(For most Digital SLR cameras.)

Computers

Sony Laptop Vaio PCG-GRT150 ..... 60.00
(Pentium IV, 2.84 ghz, 512 MB Ram, WinXP, and CD RW)
Compaq Laptop 777CL 60.00
(Pentium Dual Core, 1.87 ghz, 2 GB Ram, WinVista, and CD/DVD RW)
Dell Laptop Inspiron 800 ..... 50.00
(Pentium III, 1 ghz, 512 MB Ram, WinXP, and CD RW)

Scanners

Nikon Coolscan IV (35mm only) 50.00
Nikon Coolscan 8000 (for film up to 6x9cm) 100.00

Storage Devices

Iomega Zip 250 (USB) 10.00
Mindstor 20 GB (portable storage device) 30.00
Delkin eFilm Picture Pad 30 GB 30.00
CD burner (Mac only-firewire) 10.00
Maxstor 80 GB (firewire 6p) 10.00
Delkin DVD Burn Away. 10.00
(Portable DVD±RW/CD-RW burner & card reader.)

Cords

15' Firewire 6P to 6P.. ..... 2.00
15' Firewire 4P to 6P 2.00
12' USB 2.0 to USB Mini B cord 2.00
15' USB cord 2.00

Dye Sub Printer

Canon CD 300 ..... 25.00
Sony DR150 Dye Sublimation printer 100.00
(See Special Event Package below.)
Sony DR150 paper holder 10.00
(Allows faster changing of paper rolls)

Special Event / Location Printing Package

Print Package includes the following items: Sony DR-150 Digital Printer, laptop computer, and an optional 7 port USB hub 100.00
(This printer package is designed for on site printing at events without having your customers wait for the lab.
The Sony DR-150 printer will print 4 X 6 prints at 8 seconds apiece or 5 X 7 prints at 15 seconds apiece. At these printing speeds you can keep up with the most demanding print orders right on location. This is a dye-sublimation print process so it has long lasting print stability and great color. Each print sizes requires the paper roll/ribbon to be changed out.)
Express Digital Darkroom Dongle 25.00
(Activates Express Digital Darkroom software v 8.9)
Set up charge for custom borders and/or logos.....50.00/HR
(Minimum 1 hour)

(Media pricing subject to change. Please call to verify pricing).

Print material	1-100	101-249	250+
4x6 (550 prints per roll)	.70 each	.63 each	.56 each
5x7 (335 prints per roll)	1.18 each	1.06 each	.95 each
Folders (4x6 or 5x7)	1-100	101-249	250+
Series 300 white	.56 each	.52 each	.45 each
Series 747 Wood grain	.80 each	.74 each	.64 each
Profile White Marble	1.20 each	1.10 each	.95 each

MEDIUM FORMAT

HASSELBLAD (2 1/4 X 2/1/4)

Bodies

503CX w/WL finder and back	25.00
500CM w/WL finder and back	22.00
SWC 903 w/finder and back	35.00

Lenses

30mm F3.5 CFi	between lens	45.00
40mm F4.0 C	N/A	30.00
50mm F4.0 CF	bay 60	25.00
60mm F3.5 CF	bay 60	20.00
80mm F2.8 CF	bay 60	15.00
120mm F5.6 C	bay 50	20.00
150mm F4.0 C/CF	bay 50/60	25.00
250mm F5.6 C	bay 50	25.00

Close-up Accessories

Extension tube (10mm, 16mm, 21mm, 55mm, 56mm)	..3.00
Series 50 Proxar (I, II, or III)	..3.00
Bellows	10.00

Filters (Bay 50/60)

Bay 50 Softar (I, II, or III)	..3.00
Bay 50 red/orange/polarizer	..3.00
Bay 60 Tiffen Soft FX, polarizer, star, CC30M, UV	..3.00
Bay 60 to 77mm step-up ring	..1.00

Viewfinders

NC-2 prism finder	10.00
PM5 prism finder	10.00
PME-3 meter prism finder	15.00

Accessories

Rokunar 2x converter	10.00
Ground glass adapter	..3.00
NPC motor for 500C/500CM (1 fps)	10.00
Pro Shade for B50 or B60	..8.00

Film Backs

A12 back (12 exposures on 120 film.)	.8.00
A16 back (16 exposures on 120 film.)	.8.00
A24 back (24 exposures on 220 film.)	.8.00
Polaroid back (Polaroid 100 or NPC)	10.00

MAMIYA 645 (2 1/4 x 1 5/8)

Bodies

M645 Pro w/WL finder and back	20.00
M645 Pro TL w/WL finder, pro drive and back	25.00

Lenses

24mm F4 ULD fisheye	built-in	30.00
35mm F3.5	77mm	20.00
45mm F2.8	77mm	15.00
55mm F2.8	58mm	15.00
70mm F2.8 leaf shutter	58mm	15.00
80mm F1.9	67mm	15.00
80mm F2.8	58mm	10.00
110mm F2.8	58mm	10.00
150mm F4.0	58mm	15.00
300mm F5.6	58mm	15.00

Viewfinders

M645 Pro AE meter prism	10.00
M645 SV Pro prism	..8.00
M645 Pro prism	..8.00
M645 SV AE meter prism	10.00

Accessories

2x Teleconverter (only for lenses 145mm-500mm.)	10.00
Extension tube (1, 2, or 3)	..2.00
Professional lens shade	..8.00
Power winder	..5.00
L-Grip	..2.00

Film Backs

120 film back	..8.00
220 film back	..8.00
120/220 inserts	..2.00
Polaroid back	10.00

MAMIYA 645 AF (2 1/4 x 1 5/8)

M645 AFD body w/120/220 back	30.00

Lenses

35mm F3.5 AF	77mm	25.00
45mm F2.8 AF	67mm	20.00
55mm F2.8 AF	58mm	20.00
80mm F2.8 AF	58mm	15.00
150mm F3.5 AF	58mm	20.00
55-110mm F4.5 AF	67mm	25.00

Accessories

M645 AF film back	..8.00
M645 AF polaroid back	15.00
M645 AF polaroid adapter	..2.00

MAMIYA 7II

Mamiya 7II body	20.00

Lenses

43mm F4.5	67mm	25.00
65mm F4.0	58mm	20.00
80mm F4.0	58mm	15.00
150mm F4.5	67mm	20.00
Mamiya 7 body and all lenses package		75.00

MAMIYA RB67 (2 1/4 X 2 3/4)

Bodies

RB67/RB67 Pro SD body w/WL finder and back .. 20.00

Lenses

(RB67 lenses will work on RZ67 bodies but you will lose the electronics.)

50mm F4.5	77mm	20.00
65mm F4.5	77mm	20.00
90mm F3.8	77mm	15.00
127mm F3.8	77mm	15.00
140mm F4.5 macro	77mm	20.00
150mm F4.0 (soft focus w/disc set)	77mm	20.00
250mm F4.5	77mm	20.00

Accessories

RB67 extension tube (#1 or #2)	2.00
RB67 prism finder	10.00
L-grip for RB/RZ67	2.00
Professional lens shade	8.00
Dual cable release	3.00

RB67 Film Backs

(All RZ67/RB67 Pro II backs are interchangeable between bodies. RB67 backs will work on RZ67 bodies with the RZ Pro adapter G. We rent this adapter. It will not work on Polaroid backs.)

RB67 polaroid backs	10.00
RB67 120 back (10 exposures)	8.00
RB67 220 back (20 exposures)	8.00
RB67 120 back-645 format (15 exposures)	8.00

MAMIYA RZ67 (2 1/4x2 3/4)

Bodies

RZ67/RZ67 Pro II body w/ WL finder and back 25.00

Lenses

(RB67 lenses will work on RZ67 bodies but you will lose the electronics.)

50mm F4.5	77mm	20.00
75mm F4.5 L SB	105mm	20.00

(Requires SB extension tube to focus to infinity w/o tilt/shift adapter.)

90mm F3.8	77mm	15.00
180mm F4.5	77mm	20.00
180mm F4.5 L SB	77mm	20.00

(Requires SB extension tube to focus to infinity w/o tilt/shift adapter.)

Accessories

RZ67 tilt/shift adapter	20.00
RZ67 tilt/shift ground glass	5.00
RZ67 SB extension tube	3.00

(N/C when rented with an SB lens.)

L-Grip for RB/RZ67	2.00
Professional lens shade	8.00
RZ67 AE prism finder	15.00

RZ67 Film Backs

(All RZ67/RB67 Pro II backs are interchangeable between bodies. B67 backs will work on RZ67 bodies with the RZ Pro Adapter G. We rent this adapter. It will not work on Polaroid backs.)

RZ67 polaroid backs	10.00
RZ67 Pro II 120 back	8.00
RZ67 Pro II 220 back	8.00

BRONICA ETRsi (6x4.5)

Lenses

150mm F3.5	62mm	15.00

Accessories

Prism	8.00

Film Backs

220 back	8.00
Polaroid back	10.00

PENTAX 6X7 (2 1/4 X 2 3/4)

Lenses

135mm F4.0 macro	67mm	15.00
150mm F2.8	67mm	15.00
200mm F4.0	67mm	15.00
600mm F4.0	NA	50.00

LARGE FORMAT

4x5 CAMERAS

(Camera price includes standard rail, cable release, dark cloth, changing bag, lupe, and 5 film holders upon request.)

Sinar Norma 20.00
(Need to use old style Sinar boards)
Sinar F 20.00
Toyo 45GX 25.00

Accessories

6" extension rail (Sinar only).. . . . . ..3.00
12" extension rail (Sinar or Toyo) 4.00
18" extension rail (Sinar only) 5.00
Additional bellows (Sinar only) 3.00
Reflex viewer 8.00
Additional front or rear standards 15.00
Lensboards only 2.00
Sinar Pro shade 5.00
(Lensboards for Sinar, Calumet, Cambo, Toyo/Omega, Horseman, some Graflex and Linhoff.)

Film Holders and Polaroid Backs

4x5 film holders 1.00
Polaroid 545 back 5.00
Polaroid 405 back 5.00
(Takes pack films, 3" x 4 1/4" image on 4x5 cameras.)
Calumet 4x5 roll film back 10.00
(Takes 6x7 images with 4x5 cameras.)

VIEW CAMERA LENSES

	Coverage	Filter	Copal	
65mm F4.0 Nikkor SW	4x5	67mm	0	30.00
75mm F4.5 Nikkor SW	4x5	67mm	0. . . .	30.00
90mm F8.0 Caltar IIS	4x5	67mm	0	25.00
120mm F5.6 Nikkor AM macro	4x5	52mm	0. . . .	20.00
150mm F5.6 APO Symmar . . .	4x5	58mm	0	15.00
180mm F5.6 Rodenstock.	5x7	58mm	1	20.00
210mm F5.6 Fujinon W	5x7	58mm	1	25.00
210mm F5.6 APO Symmar . . .	5x7	72mm	1	25.00
240mm F5.6 Komuranon	8x10	72mm	3	25.00
300mm F5.6 Fujinon L	8x10	67mm	3	25.00
600mm F9 Nikkor ED-T	8x10	95mm	3	35.00
(16" rail for focus at infinity)				
800mm F12 Nikkor ED-T	8x10	95mm	3	35.00
(21" rail for focus at infinity)				
1200mm F18 Nikkor ED-T . . .	8x10	95mm	3	35.00
(30" rail for focus at infinity)				

Nikkor Rear Elements (600, 800, 1200) 20.00
Set of three Nikkor ED-T Lenses (600, 800, 1200) 75.00

ULTRA-WIDE PANORAMIC CAMERAS

Hasselblad 903 SWC 35.00
6 x 6cm w/38mm F4.5 Biogon T* CF lens. Angle of view, 90 degrees diagonal, 72 degrees horizonal. Nearly symmetrical and distortion-free. Includes optical viewfinder.

Brooks Veriwide 20.00
6 x 9cm w/47mm F8 Super Angulon lens. Uses 120 or 220 film. 90 degree diagonal angle of view.

Polaroid back for Veriwide 10.00

Hulcherama 100.00
Motorized 360 degree Spin Camera angle of view. Accepts Mamiya 645 Lenses (35mm, 45mm, 80mm, 150mm available.) Electronic rotation control provides effective shutter speeds of 2 sec. to 1/200 sec. Close focusing to 3 ft. with some lenses. Uses 120 or 220 film. Heavy duty tripod strongly recommended. Includes spare battery, charger and remote cable.

Alpa 70 Rotocamera 75.00
Motorized 360 degree spin camera w/Rodenstock Grandagon 75mm F6.8 lens. Perspective correction. Electronic rotation control provides effective shutter speeds of 1/15-1/250 sec.
Focus is fixed at infinity, so close-up limited by hyperfocal distance (3.7m at F32). Uses 220 or 70mm film. Heavy duty tripod strongly recommended. Includes charger and remote cable.

Fuji GSW 690 III 25.00
6x9 cm w/65mm F5.6 Fujinon SW. Uses 120 or 220 film 4-8 exp on 120, 16 exp on 220. 76 degree angle of view.

Fuji GX617 . . . . . 75.00
6x17mm panoramic camera that accepts interchangeable lenses. Uses 120 or 220 film. Matched viewfinder focusing 2m-inf. Makes 4 exposures on 120 film or 8 exposures on 220 film. Price includes one lens and ground glass for previewing composition.

Fuji EBC Fujinon SW 90mm F5.6 lens 30.00
Interchangeable lens for the GX617. Lens hood, optical viewfinder, and center spot filter included. 77mm filter.

Fuji EBC Fujinon SW 105mm F8 lens. 30.00
Interchangeable lens for the GX617. Lens hood, optical viewfinder, and center spot filter included. 77mm filter.

Fuji EBC Fujinon SW 180mm F6.7 lens 30.00
Interchangeable lens for the GX617. Lens hood and optical viewfinder included. 77mm filter.

Fuji EBC Fujinon 300mm F8 lens 35.00
Interchangeable lens for the GX617. Lens hood and optical viewfinder included. 67mm filter.

Roundshot 35S 40.00

POLAROID

Cameras

Polaroid One-Step 600 flash 8.00
Polaroid 195 . . . . . 15.00
(114mm F3.8 normal Lens. Leaf shutter speeds B to 1/500. Uses pack film. Flash sync at all speeds.)
Polaroid 600SE 20.00
(Leaf shutter speeds B to 1/500. Flash sync at all speeds. Uses pack film. Price includes one of the following lenses:)
Polaroid 600SE 75mm F5.6 wide-angle lens 10.00
Polaroid 600SE 127mm F4.7 normal lens 10.00
Polaroid 600SE 150mm F5.6 short telephoto lens 10.00
O&ER Simulshot passport camera 25.00
(Two photos with built-in flash. Uses Pack Film.)
Polaroid 454 miniportrait passport camera 30.00
(Four photos. Flash not included. Uses 4x5 film. Includes Polaroid 545 back.)

Film Backs/Processors

Polaroid 545 back (for 4 x 5 cameras) 6.00
Polaroid 405 back (pack film adapter for 4x5 camera) 6.00

UNDERWATER CAMERAS

Nikonos V body w/one lens 15.00
(Choice of 28mm or 35mm lens. Self-contained underwater and all-weather camera with aperture priority automation and manually selectable shutter speeds from 1/30 sec. to 1/1000 sec. TTL Flash Capacity. Waterproof to 160 feet.)
15mm F2.8 underwater (w/DP II finder) 25.00
28mm F3.5 underwater 5.00
35mm F2.5 amphibious 5.00
Nikonos SB105 underwater TTL flash 15.00
Nikonos close-up U.W. kit 5.00
Canon Sure Shot A1 panoramic (waterproof to 16ft) 10.00

STUDIO LIGHTING

SPEEDOTRON

Power Supplies

1205 CX power supply 30.00
2401A/B power supply 40.00

Lampheads

(Includes 7" or 11" reflector)
102 lamphead: 3200ws 15.00
105 quad-lamphead: 9600ws. 20.00
(Fast flash duration for stopping quick motion)
202 VF lamphead: 2400ws.. ....15.00
206 VF lamphead: 4800ws.. ....20.00
(Adapter for 2401 pack included)
HERSHEY Ring Light: 2400ws 20.00
(Adapter included)

Accessories

Reflector 7"/11"/16" 2.00
Snoot 2.00
20' head extension cable 2.00
Barndoor (7" or 11") 2.00
Grid (fits 7" reflector) 2.00

NORMAN

Power Supplies

600 SP Kit 50.00
(Includes 600 ws Series 500 power supply,
(3) LH 500 lampheads, (3) 9' stands and (3) umbrellas.)
PS2000 power supply 35.00
P2000 power supply 40.00
P2424 power supply 40.00
P4000 power supply 45.00

Lampheads

(Includes 5" or 10 " reflector)
LH500 lamphead: 600ws 15.00
LH2000 lamphead: 2400ws 15.00
LH2400 lamphead: 2400ws 15.00
LH2500 lamphead: 2500ws 15.00
LH4000 lamphead: 4000ws 20.00
HERSHEY Ring Light: 2400ws 20.00
(Adapter included).
Tri-Lite 900: 2000ws, focusing optical spot 20.00
FS6 fresnel lamphead: 2000ws 20.00

Accessories

AC slaves-screw in 10.00
Reflector 5"/10" 2.00
5X Reflector 20" 5.00
Norman RP-1 Diffusion Dome 5.00
(for Norman lamphead LH2500)
Snoot 2.00
20' Head extension cable 2.00
Barndoor 5"/10" 2.00
Grid 5"/10" 2.00
5"grid set 5.00
(Includes: (1) holder, (3) grids.)

PHOTOGENIC

Photogenic 2 light kit 60.00
(Includes: (2) umbrellas, (2) 9' stands, (2) 600ws monolights.)
Photogenic 3 light kit 90.00
(Includes: (3) umbrellas, (3) 9' stands, (3) 600ws monolights.)
Photogenic Powerlight 600 monolight: 600ws 30.00
Photogenic Powerlight DR2500 monolight: 1000ws ... 35.00
(with built in Pocket Wizard wireless receiver)
Photogenic softboxes: 21"x21" 5.00
Photogenic 16" reflector w/ diffusion 5.00
Photogenic 7“ Diffusion 2.00
Photogenic 7" medium grid 2.00
Photogenic 7" fine grid 2.00
Photogenic small snoot 2.00
Photogenic large snoot 2.00
Photogenic barn door 2.00

PROFOTO

See Profoto listing under portable flash, next page

BRONCOLOR

Flashman 950 ..... 30.00
Broncolor lamphead 15.00
19" soft reflector 5.00

BALCAR

Monobloc II Monolight: 1000 ws 25.00
(Includes 7" reflector. Stroboscopic up to 12 flashes per second)
Universal lamphead 15.00
(Includes 7" reflector. Uses Monobloc II as power supply)
Fiber Optic 3-light kit 15.00
(Requires power supply & lamphead.)
Head extension cable 2.00

PORTABLE FLASH

ON-CAMERA FLASH

Vivitar 283/285 ..... 10.00
Nikon SB80DX(w/diffusion dome covers 14mm.) 20.00
(D-TTL capacity w/ Nikon digital cameras)
Nikon SB900 (w/diffusion dome covers 14mm.) 20.00
(iTTL & D-TTL capacity w/ Nikon digital cameras)
Nikon SB800 (w/diffusion dome covers 14mm.) 20.00
(iTTL & D-TTL capacity w/ Nikon digital cameras)
EOS 580 EX (w/diffuser covers 18mm) 20.00
(E-TTL II capacity with select EOS digital cameras)
EOS 580 EX II (w/diffuser covers 18mm) 20.00
(E-TTL II capacity with EOS digital cameras)

Flash Accessories
Nikon SC-17 off camera cord 3.00
Nikon SC-18 connecting cord 3.00
Nikon SC-19 connecting cord 3.00
Nikon SC-28 off camera cord 3.00
Nikon SC-29 off camera cord 3.00
Nikon AS-10 ..... 3.00
(connects 3 TTL flashes together.)
Nikon SD-800 5th battery for SB-800 ..... 1.00
(No charge with SB-800 rental)
Nikon or EOS Speed-light Stands 1.00
(No charge with Speed-light rental)
Canon off-camera shoe cord 5.00

NORMAN

Power Supplies
400B w/head w/5' or 20' cable 25.00

Lampheads
Additional head w/5' or 20' cable 5.00

Accessories
Spare battery for 400B (set of two) 5.00
2DRP diffusion reflector (130 degree) 2.00
2H telephoto reflector 2.00
(15 degrees, F16 at 100' at ISO 100.)
Y-cable 2.00
Stand adapter 1.00
20' extension cable 2.00
Camera bracket 2.00
External charging cable 1.00
Dual charging cable 1.00

PROFOTO

Power Supplies
Profoto Pro-7B Kit 75.00
(Includes: (1) 1200ws Pro-7B Power supply, (1) Pro-B lamphead, (1) Battery Pro-7B/B2.)

Lampheads
Profoto Pro-B lamphead 20.00
Hershey ring light 20.00

Accessories
Pro-7B/B2 Battery 15.00
Zoom Reflector 10.00
Zoom Reflector grids (20 or 40 degree) 5.00
(Includes grid holder. Fits *only* Zoom Reflector)
Zoom Reflector grid set ((1) 20and (2) 40 degree) 10.00
Magnum Reflector (50 degree spread) 10.00
7" Grid Reflector 5.00
7" grids (3, 10, 20 or 40 degree) 5.00
(Fits *only* 7" Grid Reflector, not included. No additional holder required)
7" grid set (3, 10, 20 and 40 degree) 10.00
(Fits *only* 7" Grid Reflector, not included. No additional holder required)
Disc Reflector 5.00
(Allows umbrella to be mounted. This is the standard reflector included with all Pro-7B lamphead rentals.)
Head extension cable (16 feet/5 meters) 10.00
16" Beauty Dish 10.00
(Silver finish. Includes diffuser)
Grid for 16" beauty dish (20 or 40 degree) 10.00
22" Beauty Dish 15.00
(Soft white or silver finish)
Grid for 22" beauty dish (20 degree) 10.00
(Fits *only* white 22" beauty dish)

SUNPACK

Sunpak 544 w/Quantum battery II 25.00

QUANTUM

QFT5D flash w/ turbo battery 30.00
QFX2D flash w/400B battery 30.00
QFT2D flash w/ turbo battery 25.00
QF TTL& QTTL cords 2.00
Quantum Turbo 3 (½ price w/rental of flash) 20.00
Quantum Turbo battery (½ price w/rental of flash) 15.00
Quantum Turbo 2x2 (½ price w/rental of flash) 15.00
Quantum battery II (½ price w/rental of flash) 10.00
Quantum battery I (½ price w/rental of flash) 10.00
Quantum Turbo Z (½ price w/rental of flash) 15.00
Quantum Battery cords (w/out battery) 2.00
Quantum Q Flash Quick release bracket 2.00

TUNGSTEN LIGHTING

Lowel Tota kit 60.00
(Includes: (2) 600w Omni lights, (2) 1000w Tota lights, (4) stands, (2) umbrellas, scrims, barndoors, and case)
Smith Victor K50 kit 30.00
(Includes: (3) 600w lights, stands, barndoors, (2) scrims and case)
Smith Victor K2R kit 20.00
(Includes: (3) 600w lights, (3) stands, and case)
Arri Arrilite/Fresnel Mini Kit 75.00
(Includes: (2) 300w lights, (2) 600w lights , focusing fresnels, stands, barndoors, scrims and case)
Arri 300 Plus 15.00
Arri Arrilite 650 . . . . . .15.00
Arri 650 Plus 20.00
Arri 1000 Miniflood 25.00
Colortran light 1000w 15.00
Colortran light 650w 10.00
Lowel Tota light 1000w 15.00
Lowel Omni light 650 w 10.00
Smith Victor #740 650w (w/barndoor) 10.00
Smith Victor 500w photo floods 5.00
De Sisti Monet 210 1000w fresnel 20.00
De Sisti Monet 220 2000w fresnel 30.00

METERS

Gossen Luna Star F 6.00
Gossen Ultra Pro 10.00
Gossen Starlite 15.00
(1-5 degree spot meter. Flash and ambient.)
Sekonic L328 . . . . . 10.00

CAMERA SYNCS/ TRIPPERS

Photo Slaves
Peanut slave 2.00
Super slave 5.00

Radio Slave
Pocket Wizard Plus II transceiver 15.00
Quantum Freewire 10.00
(Wireless transmitter and receiver all in one)
Quantum radio slave 4i 15.00
(Transmitter, receiver and cords. All frequencies rated "B".)
Add'l receiver for Quantum radio slave 5.00
(Frequency "B")

Beam/Sound Trippers
Pocket Wizard wave sensor 25.00
(Light and sound triggering device for split second timing)
Dale Beam Trippers 25.00
(Light and sound triggering device for split second timing)
Nikon cord for wave sensor 5.00
Wein sound tripper 5.00
(Trips flash via adjustable sound sensor.)

Infra-Red Slaves and Remotes
Nikon ML-2 . . . . . 20.00
(For use w/Nikon motor drives. Requires motor drive. Maximum working distance 300ft. 3 channels available)
Nikon ML-L3 wireless remote 3.00

Cable Releases
Nikon MC-30 (10-pin) remote release 3.00
Nikon MC-36 (10-pin) timer control 5.00
Canon TC-80N3 timer control 5.00
12" - 24" cable release 1.00

GRIP EQUIPMENT

Stands

9' stand 2.00
11' stand 3.00
13' stand 4.00
19 ½' Super Hi overhead roller stand 10.00
26' Super Hi overhead stand 15.00
C-stand 4.00
C-stand w/40" extension arm and grip head 5.00
C-stand w/60" double riser 8.00
Backlight stand 2.00
3' Avenger backlight stand 2.00
1 1/8"to 5/8" pin 1.00
Stand adapter 1.00

Overhead Silk

12'x12' overhead silk kit 50.00
(12'x12' frame, 12'x12' silk, (2) 19 ½' stands.)

Booms

Bogen Superboom 15.00
Bogen Avenger Junior Boom D650 . . . . . 15.00
Bogen boom 5.00
Bogen Combi Boom 5.00

Clamps

A-clamps: small 25
medium 50
large 75
Alligator clamps 50
Reflectasol clamp 50
Bogen Super clamp w/ camera mount 2.00
Bogen Magic Arm 5.00
(multi-angle ballhead/camera holder)
Articulated arm 3.00
14"x 8" solid w/ flexible arm 2.00

AC Extension Cords

15 foot 1.00
25 foot 2.00
50 foot 3.00
100 foot 4.00
Power strip 3.00
(6 grounded outlets on 1 strip)
Power Squid 3.00
(3' Cord with 5 grounded outlets)

Background Holder Systems

10' or 12' crossbars only 5.00
12' set-up: (2) 9' stands and (1) 12' crossbar 10.00
20' set-up: (3) 13' stands, (2) 10' crossbars 15.00
Additional 10' crossbar and stand 5.00
J-hooks (set of 2). 5.00

Sandbags

15lb 2.00
25lb 3.00

CAMERA SUPPORT

Tripods

Lightweight 10.00
Leitz Tiltall 10.00
Bogen 3001 . . . . . 10.00
Bogen 3035, 3050, 3051 . . . . . 15.00
Bogen fluid head 20.00
ITE heavyweight 25.00
Bogen monopod 5.00
Gitzo Tele Studex Giant 25.00
Bogen side arm 5.00
Tripod dolly 3.00

Camera Brackets/Heads

Foba super ball head 5.00
Gitzo G1372 3-D head 5.00
Leitz/Hamma ball heads 3.00
Stroboframe 3.00
Custom Rotating Bracket 5.00
Norman bracket 2.00
Quantum Q Flash quick release bracket 2.00

SOFTBOXES/ UMBRELLAS

Umbrellas

36" and 44" 2.00
60" 3.00
44" Photek Softlighter 5.00
60" Photek Softlighter 5.00
84" Photek Sunbuster diffusion umbrella 20.00

Overhead Silk

12'x12' overhead silk kit 50.00
(12'x12' frame, 12'x12' silk, (2) 19 ½' stands)

Flash Accessories

Photek Digital Lighthouse 10" x 13" 10.00
Photek Digital Lighthouse 24" x 36" 20.00
Flexfill 38" reflector 3.00
(round, white/silver)
Flexfill bracket w/gooseneck for 38" reflector 2.00
5/1 Flexfill 42" reflector 5.00
(white/gold/silver/black/transparent)
6" colored gels for heads ..... .25

PHOTOFLEX

Photoflex 12"x16" 5.00

CHIMERA

(Super Pro Banks: Recessed front screen to control flare, silver interior for slightly more specular light)

Chimera Super Pro small: 24"x 32" 5.00
Chimera Super Pro medium: 36"x 48" 10.00
Chimera Super Pro large: 54"x 72" 15.00
Speedrings only 2.00

PLUME

(Plume Wafer banks: narrow profile, silver interior with unique inner baffles which create at least four choices of light contrast across the removable front diffusion panel)

Plume Wafer 75 22" x30" 5.00
Plume Wafer 100 30"x40" 8.00
Plume Wafer 140 40"x54" 10.00
Plume Wafer 200 54"x78" 15.00
Plume Hexoval 38"x52" (six sided) 15.00
Plume Strip 140 20"x54" 15.00
Plume Strip 200 28"x78" 20.00
Speedrings only 2.00

AUDIO/ VISUAL

Projectors

Epson LCD Projector (1200 Lumens) 100.00
Epson 3LCD Movie Mate 55 DVD Projector 110.00
Overhead projector 15.00
Opaque projector 20.00

Slide Projectors

Kodak 760H slide projector 15.00
Kodak 850H slide projector 20.00
Kodak Ektagraphic AF-1/AF-2. ..... 20.00
Ektagraphic IIIA (w/4"-6" zoom lens) 20.00
Ektagraphic 5600 (w/4"-6" zoom lens) 20.00
Bell & Howell Ringmaster 799 cassette slide projector . 20.00
(w/built-in screen)
Singer Caramate cassette slide projector 15.00
(w/built-in screen)

Audio Visual Accessories

Sharp cassette recorder w/slide sync system 20.00
Kodak 4"x6" zoom projection lens 5.00
Navitar 2" lens F2.8 (wide angle) 8.00
Stack loader 2.00
Piggyback (for stacking projectors) 3.00
Slide carousel (80 slide capacity) 1.00
25' remote extension cord for slide projectors 2.00
50' remote extension cord for slide projectors 3.00
AV cart. 10.00
Laser pointer. 5.00
Flip chart holder (w/o paper) 5.00
Dry Erase Board. ..... call

Dissolve Units

Micro Diamond slide dissolve unit 20.00
Tiffen dissolve w/cassette 25.00

8mm/16mm Movie Projectors

8mm/S8 movie projector 20.00
16mm movie projector 20.00

8mm Editors/Splicers

Craig super 8mm editor/splicer 10.00
Universal 8mm/S8 splicer 5.00

Projection Screens

40"x40" screen (3'x3') 5.00
50"x50" screen (4'x4') 7.00
60"x60" screen (5'x5') 8.00
70"x70" screen (6'x6') 10.00
78"x44" screen (16:9 ratio optimized for LCD projectors) 10.00
84"x84" screen (7'x7') 15.00
96"x96" screen (8'x8') 20.00

Light Tables

AccuLight viewing table 15" x24": 5000 degree K 10.00
Light Table 2'x3' 20.00

VIDEO

Camcorders (3 day week)

Digital Sony HDR-CX150 . . . . . .75.00
(may not work with Macintosh computers)
Digital Sony DCR-SR80 60GB HDD 75.00
(may not work with Macintosh computers)
Digital Sony DVD101 mini DVD 75.00
Digital Sony TRV19 mini DV 50.00
Sony TRV130 Digital 8 camcorder 60.00
Sony TRV98 HI-8 camcorder 50.00
Super VHS Panasonic camcorder 50.00
GE CG 9806 VHS camcorder 40.00
VHS camcorder 40.00
VHS-C Panasonic PV-L 550D camcorder 35.00

Camcorder Accessories

Camcorder extra battery 3.00
Cigarette lighter adapter for camcorders 3.00
Video tripod 8.00
Bogen fluid head tripod 20.00
ITE heavy-weight fluid head tripod 25.00
2x Teleconvertor for video cameras 5.00
Video camera battery charger 5.00
VHS-C to VHS adapter 2.00

Digital Video Equipment

Sony Digital 8 TRV130 Camcorder 60.00
Digital Sony TRV8 mini DV 75.00
Digital Sony DVD101 mini DVD 75.00
Digital Sony DCR-SR80 60GB HDD 75.00
(May not work with all Macintosh computers)
Digital Sony HDR-CX150 . . . . . .75.00
(may not work with Macintosh computers)
Epson LCD Projector 100.00
Epson 3LCD MovieMate 55 Projector 110.00
Dazzle Hollywood DV-Bridge 15.00
(Converts analog video & sound to DV via Firewire)
Maxtor 80 GB hard drive (6P Firewire) 10.00
HP DVD Writer (6P Firewire) 50.00
15' Firewire cord 6P-6P 2.00
15' Firewire cord 4P-6P 2.00
6' Firewire cord 6P-6P 1.00
6' Firewire cord 4P-6P 1.00
DVI to VGA cable 5.00
USB Video Bus 10.00
(Computer video editor. Uses video signal only. CD, instructions included.)

Microphones

Azden wireless mic 15.00
(2 frequencies)
External hand-held mic w/16' cord 5.00
Zoom mic 10.00

DSLR Video Accesories

juicedLink DT-454 . . . . . 40.00
(Adapter / Preamplifier / AGC Disabler)

VCR'S & DVD Players

Multi format VCR 30.00
(PAL, NTSC, SECAM)
Dual Deck VCR 25.00
Super VHS VCR 25.00
Panasonic AG 7350 S-VHS 50.00
VCR w/auto repeat 20.00
VCR (4 head) 15.00
Coby Multi Format DVD player 10.00
Delkin DVD Burn Away 10.00
(Portable DVD±RW/CD-RW burner & card reader)
(Video continued)
9" monitor/VCR 10.00
(AC/DC cig. adapter and harness for auto use)
13" monitor/VCR 30.00
19" monitor/VCR 40.00

Monitors

13" color monitor 10.00
19" color monitor 20.00
26" color monitor 30.00

Video Special Equipment

Elmo S8 or R8 transfer projectors 150.00
(8mm movie film to video transfer unit)
Elmo 35G 100.00
(Slide to video transfer unit)
Sima video edit 10.00
(audio and video editor)
Fotovix 25.00
(slide to video transfer unit)
Character generator/titler 25.00

SPECIAL EQUIPMENT

Ice cubes 2.00
Set of 20 ice cubes 20.00
Enlarging lenses . . . . . call
Rosco fog machine 35.00
(1/4 liter fog juice included in price of rental.
Add'l fog juice is $7.50 per 1/4 liter.)
Posing stool 5.00

Copy Equipment

Small copy stand 10.00
Bencher copy stand w/lights 30.00/HR
(In house use only)
Chroma Pro slide duplicator (Nikon mount) 25.00

Filters

(Polarizer, 81A, CC30M, FLD, FLB, Red, Yellow, Star, Diffusion)
49mm-58mm 1.00
62mm-77mm 2.00

(filters continued)

49-58mm circular polarizer 2.00
(for AF lenses)
62-77mm circular polarizer 3.00
(for AF lenses)
82mm circular polarizer 5.00
(For AF lenses)
Singh-Ray 77mm Variable Neutral Density filter . . . 20.00

Communications

Walkie-talkies 10.00
(set of two, range of up to 2 mile)

Binoculars

Canon 10 x 30 IS 25.00
(Image Stabilized Binoculars)
Sigma 10 x 50 . . . . . 10.00

Cases

We carry a large selection of cases for shipping your equipment . . . . . call

IN ADDITION TO RENTAL, CAMREN SELLS PHOTOGRAPHIC EQUIPMENT AND SUPPLIES. CAMREN IS A DEALER FOR THE FOLLOWING COMPANIES:

A

Avenger . . . . . studio grip equipment

B

Bogen . . . . . . tripod, studio accessories

C

Chimera. . . . . lightboxes, accessories

D

Denny Manufacturing . . . . . backdrops, props, studio acc.

G

Gossen . . . . . light meters

L

Lightware . . . . . cases

M

Mamiya . . . . . cameras, lenses

N

Norman . . . . . lighting, accessories

O

Omega/Brandess . . . . . miscellaneous equipment

P

Plume . . . . . lightboxes, accessories
Pocket Wizard . . . . . radio remotes

Q

Quantum . . . . . batteries, radio slaves, meters, accessories

S

Sekonic . . . . . meters
Speedotron . . . . . lighting equipment
Superior Specialties . . . . . backdrop paper, backdrops, studio accessories

CAMREN PHOTOGRAPHIC RESOURCES

1340 W Byers Pl
Denver, CO 80223
303-698-1797

-STUDIO C **$30/HR - $250/DAY**
-VIDEO TRANSFER ROOM (for movies, prints & slides to video) **$30/HR**

FEATURES OF CAMREN RENTAL STUDIO

-17' high ceiling, 14'x14' overhead garage door.
-Private security door to rear parking area. Personal security code allows access only to those with code.
-Monitored security system with activation via personal security code.
-Refrigerator
-24 hour a day, 7 day a week secured access.
-Private phone. Fax service available during business hours.
-Access to showroom during business hours.

STUDIO C

-Dressing/make-up room with dressing area and 3 make-up areas.
-Private bathroom.
-Conference table.
-Heavy-duty 30 amp wiring for power intensive jobs.
-2 wall cyclorama 13' high, 21'x31' w/5' coved radius. (Painting is not included in price. Customer is responsible for cyc painting.)
-Catwalk with 30 amp power.
-Lighting package available at no extra charge with rental of studio, includes: Speedotron 2401A power pack, (3) 102 lampheads, (3) stands, and (3) umbrellas.



To see photos of the studio, check out our website at: http:\\www.camren.com\facility\studioc.html

GENERAL TERMS AND CONDITIONS

1. ACCEPTANCE. I, Lessee, agree to the terms and conditions on both sides of this agreement in consideration for the rental usage of the equipment, and any purchase, if applicable. I agree to the payment of all charges, fees, repair costs, and penalty fees.

2. RESERVATIONS/CANCELLATIONS. Reservations for equipment are recommended, as many items are one of a kind. Confirmed reservations are subject to a cancellation fee of 100% of the full rental rate and penalty fees, if applicable.

3. RENTAL CHARGES. The minimum rental charge is a one day charge. A rental day is a 24 hour period from time the equipment leaves Lessor. Equipment picked up on a Friday and returned within 72 hours will be charged a one day rental rate. The weekly rate is four times the daily rate. The monthly rate is twelve times the daily rate. Rental charges will continue during absence of equipment due to loss or damage. All prices and specifications are subject to change without notice. **Rental charges will be assessed whether the equipment is used or not. Rental charges are for time out not time used!**

4. LATE RETURNS. Time is the essence of this agreement. Equipment not returned on time will be subject to additional rental charges which shall be a minimum of one additional rental day. Penalty fees will be assessed at Lessor's discretion.

5. DEPOSITS. A deposit is required on all rentals. The deposit shall be in the form of one of the following: a) a local check drawn on a local bank, b) Visa, MasterCard, or American Express credit cards, c) full cash retail value. Debit and check cards may not be used for security deposit. The deposit may be held pending repair or replacement of rental equipment. Rental charges will continue during absence of equipment due to loss or damage. Proof of insurance coverage acceptable to Lessor may be required on some rentals. Lessee, by giving lessor deposit, authorizes the Lessor to use deposit for payment of rental charges, repair, replacement, services, goods, penalty fees, and/or any other payment owed Lessor by Lessee.

6. LOSS, THEFT, OR DAMAGE. The Lessee assumes entire risk of loss or damage to equipment during rental. Rental charges will continue during absence of equipment due to loss or damage. Any damage to or loss of equipment must be paid in full to Lessor on demand. Title to equipment and the right to, at any time, terminate lease and recover possession, if not returned on demand, remains with Lessor. All charges, including attorney's fees incurred in recovering equipment not returned on demand, remain with Lessee. A non-refundable 10% damage/loss fee, based on the total rental charge, is available for Lessee to purchase from Lessor. If Lessee elects to accept the 10% damage/loss fee Lessee agrees that they are liable for the first $500.00 of damage or loss of equipment. Lessee will be held harmless for damage or loss exceeding $500.00 unless such damage or loss:

a. is caused by intentional, willful, negligent, or careless actions or inaction by Lessee or any other person while equipment is rented to Lessee;
b. is due to rain or other moisture;
c. is due to scratching of lens;
d. is due to internal adjustments or repairs by unauthorized persons;
e. occurs during shipping or transportation by common carrier;
f. is due to unexplained loss or disappearance;
g. occurs by theft from an unlocked or visually open vehicle;
h. occurs by theft unreported to local police within 48 hours of the theft;
i. is caused by or results from warlike actions of Lessee or others (including any government) including loss due to seizure or confiscation.

7. MALFUNCTIONS. Equipment is rigorously tested before being offered for rental. Nevertheless we strongly suggest the Lessee check out the equipment before accepting it. Our program of maintenance and inspection prevents most problems, but it is not possible even with the most meticulous inspection to duplicate all the conditions found in the field, nor is it possible to predict all failures. Lessor must be notified of any and all problems immediately. Failure to do so can result in a full rental charge.

8. SPARE BULB/INSTRUCTION BOOK POLICY. Equipment rental price includes bulbs. Spare bulbs are provided on request. There is no charge for the use of spare bulbs providing burned out bulbs are returned. A charge will be made for missing bulbs, broken bulbs or excessive burnouts. Instruction books will be supplied on request. Instruction books not returned will be charged for.

9. EXCLUSION OF WARRANTIES OF MERCHANTABILITY AND WARRANTIES OF FITNESS. LIMITATION OF LESSOR'S LIABILITY. Lessee warrants that Lessee or Lessee's agent is trained and can utilize equipment. Lessee agrees that Lessor shall not be responsible for Lessee's inability to utilize rented equipment for any reason including insufficient knowledge of the equipment. In the event Lessee is unable to utilize the equipment due to Lessee's insufficient training or knowledge, or for any other reason, Lessee agrees to hold Lessor harmless from any damage or loss from the failure or inability to use the equipment. Lessee agrees that Lessor has no duty to instruct or train Lessee in the use of equipment, and that any information regarding the equipment is given as a courtesy and is not part of the rental agreement. Lessor reserves the right to refuse rental to any person, company or organization for any reason.

10. INDEMNITY. Lessee agrees to hold Lessor harmless and indemnify Lessor in the event of theft, injury, or other loss or damage arising from usage of Lessor's facilities or equipment. Lessee assumes all liability for any and all damage or loss whatsoever, and/or injury incurred, either directly or indirectly to his invitee, agent or employee as a result of using Lessor's facilities or equipment, and for personal property of lessee, invitee, or employee. Equipment is used at customer's sole risk. Lessor shall not be liable beyond the amount of any rental fees for any injury, loss, or damage suffered by customer, directly, indirectly, or consequentially, as a result of mechanical failure, casualty, unavailability of equipment, or otherwise.

11. OUT OF TOWN RENTALS. Minimum billing for out of town rentals is four days when equipment is shipped. The four day billing covers a full seven day rental period. Equipment is to be returned via a prepaid method. Any shipping charges billed to Lessor will be re-billed with a handling charge. Lessor is not responsible for delays caused by carriers. The Lessee is responsible for all rental charges in the event of a delay by the carrier. All equipment is tested before shipping. In the event of a malfunction, the lessee is still responsible for rental, shipping and/or repair charges. Lessor must be notified of any and all problems immediately. Failure to do so can result in a full rental charge.

12. FACILITIES. The studio is rented on an as is basis. Painting coves or floors is the responsibility of the lessee. Paint spraying is not allowed. Lessor can supply painting labor and materials for an additional cost. Call for prices. Lessor's agent shall have the right to enter the rental area and take possession thereof at any time. Premises shall not be used for unlawful acts. No hazardous substances or materials shall be brought on the premises without written permission from Lessor.

13. REMEDIES. Lessee agrees to reimburse Lessor for all costs and expenses of collection of any amounts owed under this, or any other agreement Lessee has entered into with Lessor, including, but not limited to, reasonable attorney's fees, penalty fees, and continuing rental and late charges. Interest charges shall accrue at the rate of 1.75 percent per month on all unpaid balances owed Lessor.

14. All prices and specifications are subject to change without notice.